

List of All Chemicals

P Syzygium claviflorum (Myrtaceae)

How used

Medicinal

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Plant Part	Low PPM	High PPM	StdDev	*Reference
ARJUNOLIC-ACID	Leaf	--	85.0	1.0	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
Activities (5)					
AntiEBV					
Anticarcinogenic					Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.
Antitumor					Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.
Cardioprotective					
Chemopreventive					Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.
ASIATIC-ACID	Leaf	--	40.0		Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
Activities (1)					
Collagenic					
BETULINIC-ACID	Leaf	--	205.0	-0.95	*
Activities (22)					
Anthelmintic					
AntiHIV EC50=2.0 ug/ml					Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
AntiHIV IC50=6.5 ug/ml					
AntiHIV 14.8 uM					
Antibacterial					
Anticancer					Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Anticarcinomic					Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiedemic					
Antiinflammatory					Recio, M., et al. 1994. Investigations on the Steroidal Anti-Inflammatory Activity of Triterpenoids from <i>Diospyros leucomelas</i> *. Planta Medica, 61: 9.
Antileukemic					
Antimalarial IC50=19-26 ug/ml					
Antimelanomic					New York Times, 3/28/95.
Antinociceptive					
Antiplasmoidal IC50=19-26 ug/ml					
Antitumor					Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiviral 14.8 uM					
Apoptotic					
Cytotoxic 50-100 ppm					Biosyn. Prod. Cancer Chemotherapy (Petit et al)
Cytotoxic 16.4 uM					
Phospholipase-A2-Inhibitor					
Prostaglandin-Synthesis-Inhibitor 200 ug/ml					Dunstan, C. A., Liu, B., Welch, C. J., Perera, P., Bohlin, L. 1998. Alphitol, a Phenolic Substance from <i>Alphitonia zizyphoides</i> which Inhibits Prostaglandin Biosynthesis in vitro. Phytochemistry, 48(3): 495-497.
Prostaglandin-Synthesis-Inhibitor IC50=101 uM					Huang, C., Tunon, H., Bohlin, L. 1995. Anti-Inflammatory Compounds Isolated from <i>Menyanthes trifoliata</i> L. Yao Hsueh Hsueh Pao, 30(8): 621-626.
OLEANOLIC-ACID	Leaf	--	14.0	-0.83	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
Activities (64)					
Abortifacient					
AntiHIV IC50=21.8 ug/ml					
AntiHIV EC50=1.7 ug/ml					Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.

AntiTGF-beta	IC50=19-24 uM
Antiallergic	
Antiarrhythmic	40 mg/kg
Antiatherosclerotic	
Antibacterial	MIC=625-1,250 ug/ml
Anticarcinomic	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Anticariogenic	Leung, A. Y. and Foster, S. 1995. <i>Encyclopedia of Common Natural Ingredients</i> 2nd Ed. John Wiley & Sons, New York. 649 pp.
Anticomplement IC40-50 0.01 mM/l gpg	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. <i>Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D)</i> , 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Anticomplement IC80-90 0.05 mM/l gpg	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. <i>Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D)</i> , 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Antiedemic IC36=40 mg/kg ipr rat	
Antifertility	
Antigingivitic MIC=625-1,250 ug/ml	
Antihepatotoxic	
Antihyperlipidemic	
Antiinflammatory 40 mg/kg ipr	Aquino, R., De Feo, V., De Simone, F., Pizza, C.*, and Cirino, G. Plant Metabolites. New Compounds And Anti-Inflammatory Activity Of Uncaria tomentosa. <i>Journal of Natural Products</i> , 54(2): 453-459, 1991.
Antiischemic 40 mg/kg	
Antileukemic	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antileukotriene IC50=17 uM	
Antimalarial IC50=70-89 ug/ml	
Antinephritic IC50=19-24 uM	
Antioxidant	Balanehru, S. and Nagarajan, B. 1992. Intervention of Adriamycin Induced Free Radical Damage. <i>Biochemistry International</i> 28(4): 735-744, 1992.
Antioxidant IC46=10 uM	
Antiperiodontic MIC=625-1,250 ug/ml	
Antiperoxidant IC30=200 ug/ml	
Antiplaque MIC=625-1,250 ug/ml	
Antiplasmoidal IC50=70-89 ug/ml	
Antisarcomic	
Antiseptic MIC=625-1,250 ug/ml	
Antitumor	
Antitumor (Breast)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Colon)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Kidney)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Lung)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Pancreas)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antiulcer >carbenoxolone	
Antiviral EC50=1.7 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomicic Acid, and Structurally Related Triterpenoids. <i>J. Nat. Prod.</i> , 61 (9): 1090-1095.
Antiviral IC50=21.8 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomicic Acid, and Structurally Related Triterpenoids. <i>J. Nat. Prod.</i> , 61 (9): 1090-1095.
Aromatase-Inhibitor	
Beta-Blocker	
Beta-Glucuronidase-Inhibitor ~100 mg/kg	
COX-2-Inhibitor IC50=295 uM/	
COX-2-Inhibitor	Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from <i>Plantago major</i> , a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. <i>J. Nat. Prod.</i> , 61(10): 1212-1215.
Cancer-Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Cardioprotective 40 mg/kg	
Cardiotonic	
Cyclooxygenase-Inhibitor	
Diuretic	Leung, A. Y. and Foster, S. 1995. <i>Encyclopedia of Common Natural Ingredients</i> 2nd Ed. John Wiley & Sons, New York. 649 pp.
Elastase-Inhibitor IC50=~15 uM	
Hepatoprotective	Advance in Chinese Medicinal Materials Research. 1985. Eds. H. M. Chang, H. W. Yeung, W. -W. Tso and A. Koo. World Scientific Publishing Co., Philadelphia Pa., page 211.
Hypolipemic	
Hypotensive	

Leucocytogenic

NF-kB-Inhibitor

Phagocytotic

Piscicide

ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.

Prostaglandin-Synthesis-Inhibitor igs mus

Sedative

Uterotonic

Vasopressor

PALATANIC-ACID	Leaf	--	--	Fujioka, T., et. al. 1994. Anti-AIDS agents, 11. Betulinic Acid and Platanic Acid as Anti-HIV Principles from Syzygium claviflorum, and the Anti-HIV Activity of Structurally Related Triterpenoids. <i>J. Nat. Prod.</i> 57 2: 243-247.	
URSOLIC-ACID	Leaf	--	20.0	-0.42	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomicolic Acid, and Structurally Related Triterpenoids. <i>J. Nat. Prod.</i> , 61 (9): 1090-1095.

Activities (89)

Analgesic

AntiEBV

Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.

AntiHIV EC50=2.0 ug/ml

Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomicolic Acid, and Structurally Related Triterpenoids. *J. Nat. Prod.*, 61 (9): 1090-1095.

AntiHIV IC50=6.5 ug/ml

Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomicolic Acid, and Structurally Related Triterpenoids. *J. Nat. Prod.*, 61 (9): 1090-1095.

AntiHIV IC85=18 ug/ml

AntiHIV 6.7 uM

AntiTGF-beta IC50=6-7.5 uM

Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from Plantago major, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. *J. Nat. Prod.*, 61(10): 1212-1215.

Antiarrhythmic

Planta Medica, 57: A56, 1991.

Antiarthritic

Antibacterial

Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from Plantago major, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. *J. Nat. Prod.*, 61(10): 1212-1215.

Anticancer (Colon)

Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from Plantago major, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. *J. Nat. Prod.*, 61(10): 1212-1215.

Anticarcinomic

Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. *Am J Chin Med*, 31(1):37-46.

Anticariogenic

Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.

Anticholestatic 28-100 mg/kg orl

Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Srimal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. *Phytotherapy Research* 6: 74-79, 1992.

Anticomplement IC100 0.1 mM/l gpg

Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

Anticomplement IC80-90 0.05 mM/l gpg

Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

Antidiabetic

Chemical Constituents of Oriental Herbs (3 diff. books)

Antiedemic

Antiescherichic

Antifibrosarcomic IC80=10 uM

Antihepatotoxic 5-20 mg/kg ipr Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Srimal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. *Phytotherapy Research* 6: 74-79, 1992.

Antihistaminic

Tsuruga, T., Chun, Y.-T., Ebizuka, Y., and Sankawa, U. 1991. Biologically Active Constituents of Melaleuca leucadendron: Inhibitors of Induced Histamine Release from Rat Mast Cells. *Chem. Pharm. Bull.* 39(12): 3276-3278, 1991.

Antihyperlipidemic

Antiinflammatory 1/3 indomethacin

Antiinflammatory IC24=500 mg/kg

Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.

Antileishmanic ED50=20 uM

Antileukemic IC50=2.5-17.8 ug/ml

Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.

Antilymphomeric

Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.

Antimalarial IC50=28-37 ug/ml

Antimetastatic IC80=10 uM

Antimutagenic IC57-80=80 mg/kg

Antinephritic IC50=6-7.5 uM

Newall, C. A., Anderson, L. A. and Phillipson, J. D. 1996. Herbal Medicine - A Guide for Health-care Professionals. The Pharmaceutical Press, London. 296pp.

Antioesity?

Internat. J. Oriental Med. 16: 4.

Antioxidant IC50=10 uM

Antiperioxidant IC35=200 ug/ml

Antiplasmodial IC50=28-

Antiproliferative IC50=15-20 uM	
Antistaphylococcic	
Antithromboxane IC50=50 uM	
Antitrypanosomic	
Antitumor	Cancer Research, 54: 701, 1994.
Antitumor (Breast) 0.5% diet	
Antitumor (Breast) IC50=15-20 uM	
Antitumor (Cervix)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Colon)	
Antitumor (Lung)	
Antitumor (Ovary)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Stomach) IC50=15-20 uM	
Antitumor (brain)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor-Promoter	<i>Planta Medica</i> , 57: A56, 1991.
Antiulcer	Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Srimal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. <i>Phytotherapy Research</i> 6: 74-79, 1992.
Antiviral IC85=18 ug/ml	
Aromatase-Inhibitor	
Beta-Blocker	
Beta-Glucuronidase-Inhibitor ~100 mg/kg	
CNS-Depressant	
COX-2-Inhibitor IC50=130 uM/	
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	
Cardioprotective	
Cardiotonic	
Choleretic 5-20 mg/kg orl	Shukla, B., Visen, P.K.S., Patnaik, G.K., Tripathi, S.C., Srimal, R.C., Dayal, R., and Dobhal, P.C. Hepatoprotective Activity in the Rat of Ursolic Acid Isolated from Eucalyptus Hybrid. <i>Phytotherapy Research</i> 6: 74-79, 1992.
Cyclooxygenase-Inhibitor	Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from Plantago major, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. <i>J. Nat. Prod.</i> , 61(10): 1212-1215.
Cytotoxic 50 ppm	
Cytotoxic ED50=3.75 ug/ml	
Cytotoxic 7.2 uM	
Diuretic	
Elastase-Inhibitor IC50=-15 uM	
Hepatoprotective 1-100 ug/ml	
Hepatoprotective 10 mg/kg	
Hypoglycemic	Ivorra, M.D., Paya, M., and Villar, A. 1989. A Review of Natural Products and Plants as Potential Antidiabetic Drugs. <i>Journal of Ethnopharmacology</i> , 27: 243-275, 1989.
Hypotensive	
Immunomodulator	
Leucocytogenic	
Lipoxygenase-Inhibitor IC50=0.18 mM	
MMP-9-Inhibitor IC80=10 uM	
Ornithine-Decarboxylase-Inhibitor	
Pesticide	
Piscicide	
Potassium-Sparing 3 mg/rat	Iwu, M.M. 1993. <i>Handbook of African Medicinal Plants</i> . CRC Press, Boca Raton, FL 435 pp.
Protease-Inhibitor IC85=18 ug/ml	
Protisticide	<i>Chemical Express</i> , 7: 285, 1992.
Quinone-Reductase-Inducer 5 ug/ml	Lee, S. K., Song, Y., Mata-Greenwood, E., Kelloff, G.J., Steele, V.E., Pezzuto, J. M. 1999. Modulation of in vitro Biomarkers of the Carcinogenic Process by Chémopreventive Agents. <i>Anticancer Res.</i> , 19: 35-44.
Sodium-Sparing 3 mg/rat	Iwu, M.M. 1993. <i>Handbook of African Medicinal Plants</i> . CRC Press, Boca Raton, FL 435 pp.
TOPO-2-Inhibitor	
Trypanocide	
Vasopressor	